

REPLY UNDER 37 C.F.R. § 116  
EXPEDITED PROCEDURE  
TECHNOLOGY CENTER 3700

Docket No.: 480052000600  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Patent Application of:  
Thiemo BLANK

Application No.: 10/507,347

Confirmation No.: 3786

Filed: September 10, 2004

Art Unit: 3731

For: METAL STRUCTURE COMPATIBLE WITH  
MRI IMAGING, AND METHOD OF  

---

MANUFACTURING SUCH A STRUCTURE

Examiner: T. J. Neal

**AMENDMENT AFTER FINAL ACTION UNDER 37 C.F.R. 1.116**

MS AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**INTRODUCTORY COMMENTS**

This is in response to the final Office Action dated October 17, 2007, for which a response is due on January 17, 2007. This response is filed within two months of the issuance of the final Office Action and therefore qualifies for expedited review. Reconsideration and allowance of the pending claims, as amended, in light of the remarks presented herein are respectfully requested.

**Amendments to the Specification** begin on page 3 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 4 of this paper.

**Amendments to the Drawings** begin on page 10 of this paper.

**Remarks/Arguments** begin on page 11 of this paper.

An **Appendix** including one new sheet of drawings is attached following page 14 of this paper.